

16 JAN 1990

AS 286 41

# INTERNATIONAL JOURNAL OF TROPICAL AGRICULTURE

## QUINQUENNIAL INDEX

Volumes : 1-5 (1983-1987)

Compiler : S. P. Goyal

Editor-in-Chief : Dr. R. D. Laura

## CONTENTS

1. Author Index
2. Title Index
3. Subject Index

PUBLISHED BY :

**VIDYA INTERNATIONAL PUBLISHERS,**


8/16, New Campus,

Haryana Agricultural University

Hisar-125 004, Haryana, India.

Phone : 5354

Price : For India : Rs. 150/- (by ordinary mail)  
For Foreign : US \$ 16/- (by surface mail)  
US \$ 18/- (by airmail)



### Editor-in-Chief

**Dr. R. D. LAURA**, M. Sc., Ph. D. (IARI, New Delhi, India), D. Sc. (UCL, Louvain, Belgium), Post doc. (UG, Athens, USA)

8/16, New Campus,

Haryana Agricultural University,

Hisar-125 004, Haryana, India

Phone : 5354

### EDITORIAL BOARD

Atanasiu, N., West Germany; Biswas, B. C., India; Cioos, P., Belgium; Dalal, R. C., Australia; Eswaran, H., USA; Fageria, N. K., Brazil; Greenland, D. J., Philippines; Kathpal, T. S., India; Kovda, V., USSR; Lal, R., Nigeria; Parmar, B. S., India; Raman, K. V., India; Randhawa, N. S., India; Rennie, D. A., Canada; Ristic, M., USA; Russell, E. W., UK; Syrstad, O., Norway; Szabolcs, I., Hungary; Tan, K. H., USA; Yariv, S., Israel; Zuxiang, Z., China.

### INFORMATION FOR CONTRIBUTORS

#### AIMS AND SCOPE

The journal publishes papers on fundamental basic and applied aspects of tropical agriculture. The term "*agriculture*" includes the basic and applied science of soil and water management as well as crop and livestock production and management. Subjects covered in the journal include agricultural production, protection and basic sciences, and animal and veterinary sciences. Agronomists, plant, soil, animal, environmental and agricultural scientists, and others working on problems of crop and livestock production, protection and management in tropics will find the journal useful. Of immediate relevance to agriculturists—both industrial and academic—this unique publication also has long-range value for the betterment of rural people in tropics. Contributions are welcomed from scientists all over the world, particularly those working in tropical and sub-tropical countries.

#### TYPES OF PAPERS PUBLISHED

The journal publishes review articles, research papers, short notes and communications, letters to the Editor, and book reviews :

- (i) *Reviews* are papers summarising the results of research in a particular field with conclusions arrived at and suggestions for future work.
- (ii) *Articles* are original research papers with significant conclusions and findings.
- (iii) *Notes* are brief papers on experimental results or new experimental methods.
- (iv) *Short Communications* are preliminary accounts of new experimental findings of immediate importance to other workers in the field. They will be published at the earliest possible. However, a letter of transmittal should be sent along with the manuscript explaining why rapid publication in this manner is advantageous.
- (v) *Letters to the Editor* are comments on the paper (s) already published in the journal.
- (vi) *Book Reviews* are the critical evaluation of the contents of books/monographs/proceedings with comments for further improvements. The publishers are required to send the copy of the publication directly to the publisher.

#### HINTS FOR WRITING A SCIENTIFIC PAPER

While writing a scientific paper, please take care of its language. As far as possible, please remove its verbosity, circumlocution, redundancy and repetitiveness, and bring in it brevity, clarity, directness and simplicity. Above all it must be grammatically correct. Your paper must justify its various sections. Broadly speaking they should answer the following questions : (i) Introduction—Why did you start?, (ii) Material and Methods—What did you use and do?, (iii) Results—What did you find?, (iv) Discussion—What do the results mean? and (v) Abstract—It must contain the essence of the introduction (the purpose of the study), the methods, the main findings (with specific results and their statistical significance) and main conclusions.



# International Journal of Tropical Agriculture

Volumes 1-5 (1983-1987)

## AUTHOR INDEX

- |                                   |                                       |
|-----------------------------------|---------------------------------------|
| Aasted, Bent, 4 : 91-95           | Arora, C. L., 3 : 82-90               |
| Achtnich, W, 4 : 188-211          | Arora, K. L., 1 : 167-169             |
| Adil, M. I., 4 : 97-107           | Awasthi, M. D., 2 : 183-187           |
| Agarwal, Arun K, 2 : 227-232      | 4 : 365-370                           |
| Aggarwal, C.K., 1 : 171-174       | Bahl, G. S., 2 : 143-150              |
| Agnihotri, N. P., 4 : 168-174     | Bahalo, M., 5 : 122-126               |
| Agnihotri, Y, 3 : 187-191         | Balaine, D. S., 2 : 257-263, 265-269  |
| Agrawal, M. P., 4 : 23-29         | 3 : 206-213, 214-219                  |
| 5 : 175-181                       | Balakrishna Rao, M. J., 2 : 311-313   |
| Agrawal, R. P., 4 : 15-22         | 3 : 146-150                           |
| Ahlawat, V. P., 3 : 192-195       | Balan, J. S., 1 : 259                 |
| 5 : 56-61                         | Balbir Singh, 3 : 214-219             |
| Ahmed, A. H. M., 5 : 110-113      | 4 : 290-296                           |
| Ahmed, I. U., 4 : 238-244         | Balvinder Singh, 4 : 221-227          |
| Ahmed Khan, A. K. S., 4 : 238-244 | Balwant Singh, 2 : 159-165            |
| Ahmed, Masood, 5 : 156-165        | Banerjee, S. K., 4 : 116-125, 221-227 |
| Ahmed, Muzahed Uddin, 4 : 91-95   | Banerjee, S. P., 4 : 116-125          |
| Ahuja, A. K., 4 : 365-370         | Behl, R. K., 3 : 265-272              |
| Alaku, O., 3 : 304-312            | Bhandari, A. L., 3 : 76-81            |
| Ali, F, 5 : 110-113               | 4 : 233-237                           |
| Amalraj, V. A., 4 : 346-350       | Bhandarkar, D. M., 5 : 182-189        |
| Anand, G. R., 3 : 206-213         | Bhandari, M. M., 2 : 307-310          |
| Anand, I. J., 1 : 273-278         | Bhanotor, R. K., 1 : 331-332          |
| 4 : 154-159                       | Bhardwaj, R. M., 1 : 338-344          |
| Anand, Lalitha, 2 : 183-187       | Bhatia, S. K., 1 : 239-244            |
| Arora, A. K., 2 : 345-354         | 5 : 131-149                           |
| 3 : 55-62                         | Bhatt, D. M., 5 : 199-202             |

- Bhatti, R. S., 2 : 205-210
- Bhuyan, M. S. R., 5 : 62-67
- Bhupinder Singh, 2 : 361-362
- Bishnoi, L. K., 1 : 51-58
- Bishnoi, O. P., 1 : 317-324  
3 : 47-51
- Biswas, C. R., 3 : 47-51  
5 : 41-48
- Chakravorty, A. K., 1 : 333-338
- Chandel, K. P. S., 2 : 167-177
- Chandra, S., 4 : 351-359
- Charan, S., 3 : 63-65
- Chaudhary, A. L., 5 : 240-246
- Chaudhary, B. S., 3 : 151-157
- Chaudhary, S. K., 4 : 154-159
- Chaudhary, Shri Ram, 1 : 333-338
- Chhabra, B. S., 4 : 160-163  
5 : 114-117
- Chhabra, M. B., 1 : 159-165
- Chhibba, I. M., 3 : 82-90
- Chhikara, B. S., 2 : 265-269  
4 : 283-289
- Chopra, Parveen, 4 : 137-142
- Chopra, S. C., 2 : 265-269  
4 : 283-289
- Dabas, B. S., 2 : 211-215  
3 : 114-118  
4 : 85-87, 185-187
- Dabas, D. S., 1 : 73-80
- Dahiya, B. S., 3 : 219-235
- Dahiya, I. S., 1 : 81-90, 131-138, 193-202  
2 : 1-102  
3 : 66-75  
4 : 212-220
- Dahiya, S. S., 3 : 192-195  
5 : 56-61
- Dalwadi, M. R., 5 : 49-55
- Das Kanungo, J. L., 1 : 151-155, 290-307
- Das, P. K., 4 : 221-227
- Deb, D. L., 3 : 22-27
- Dev, Gautam, 4 : 251-257
- Dhar, S., 1 : 91-93
- Dhilion, K. S., 2 : 315-324  
3 : 28-34
- Dhillon, M. S., 4 : 245-250
- Dhillon, S. K., 2 : 315-324  
3 : 28-34
- Dhillon, Santosh, 5 : 231-234
- Dhiman, S. D., 3 : 9-21
- Dhindsa, Kuldip Singh, 2 : 179-182, 271-286  
3 : 1-8
- Dhingra, K. K., 2 : 151-158  
4 : 245-250
- Dubey, D. D., 3 : 202-205
- Dutta, Shiv, 5 : 223-226
- Essiet, E. U., 4 : 323-334
- Fardeau, Jean-Claude, 1 : 19-23, 25-39
- Feller, C., 1 : 123-130
- Gajbhiye, V. T., 4 : 168-173
- Galhotra, A. P., 3 : 313-317
- Ganesha Rao, R. S., 1 : 187-192  
3 : 123-127  
4 : 341-345
- Ganguly, S. K., 4 : 221-227
- Garg, P. K., 2 : 279-287  
3 : 43-46, 279-287
- Gaur, A. C., 4 : 130-136
- Gautam, O. P. 1 : 91-93, 159-165, 338-344



- 3 : 313-317
- Gautam, P. L., 1 : 221-230
- Ghabru, S. K., 1 : 285-298
- Ghonsikar, C. P., 2 : 337-344
- Ghosh, Sudhansu, K., 1 : 285-298  
2 : 117-127  
3 : 273-278
- Ghuman, B. S., 3 : 35-42
- Gill, A. S., 2 : 245-250
- Gite, L. P., 5 : 182-189
- Gopinathan, K. K., 5 : 122-126
- Goswami, K. P., 1 : 33-40
- Govind Singh, 2 : 227-232
- Grewal, D. S., 4 : 245-250
- Grewal, M. S., 4 : 212-220
- Grewal, S. S., 3 : 91-97, 187-191
- Guiraud, Gerard, 1 : 19-23, 123-130
- Gulab, Singh, 1 : 81-90
- Gulati, K. L., 4 : 126-129
- Gunaseelan, T., 4 : 258-267, 268-278
- Gupta, A. P., 2 : 129-138
- Gupta, M. P., 5 : 209-214
- Gupta, O. P., 4 : 276-279
- Gupta, R. L., 2 : 299-305
- Gupta, R. S. R., 1 : 261-271
- Gupta, Rajendra, 1 : 139-144, 203-209  
3 : 1-8
- Gupta, S., 3 : 202-205
- Gupta, S. C., 1 : 41-49  
2 : 189-192, 345-354  
3 : 55-62, 133-136
- Gupta, V. K., 1 : 73-80  
2 : 159-165
- 3 : 98-104  
4 : 297-299
- Gupta, Y. P., 1 : 175-185  
5 : 247-279
- Gurmeet Singh, 2 : 151-158
- Halder, A. K., 1 : 325-329
- Hameed Khan, H., 4 : 108-115
- Hegde, D. M., 5 : 166-174
- Hetier, J. M., 1 : 123-130
- Hooda, J. S., 3 : 219-235
- Hoque, M. F., 4 : 95-98
- Hoque, S., 3 : 180-186
- Hossain, M. S. A., 3 : 180-186  
5 : 93-101
- Howladar, A. S., 5 : 93-101
- Imamul Huq, S. M., 5 : 93-101
- Islam, A., 1 : 211-220  
3 : 180-188  
5 : 93-101
- Islam, K. S., 4 : 96-98
- Islam, R., 5 : 93-101
- Iyer, V., 2 : 199-204
- Jain, H. K., 4 : 168-174
- Jain, M. K., 1 : 59-64
- Jain, R. K., 5 : 235-239
- Johrar, B. S., 4 : 15-22
- Johal, C. S., 4 : 188-211
- Joshi, O. P., 4 : 108-115
- Joshi, P. K., 5 : 199-202
- Kalyane, V. L., 4 : 280-282
- Kapur, M. L., 3 : 76-81

- Kapoor, R. L., 1 : 41-49
- Kargbo, C. S., 4 : 30-39
- Karwasra, R. S., 1 : 51-58  
3 : 196-201
- Karwasra, S. P. S., 2 : 331-335
- Kashyap, R. K., 5 : 1-27
- Kathpal, T. S., 1 : 59-64  
2 : 205-210
- Kaul, R. N., 3 : 105-113
- Kaushanskyy, P., 3 : 158-166
- Kaushik, L. S., 1 : 41-49
- Kaushik, Mamta, 5 : 190-198
- Kaushik, R. K., 2 : 345-354  
3 : 55-62
- Kaushish, S. K., 1 : 167-169
- Kehar, Singh, 3 : 91-97
- Khan, A.K.S. Ahmed, 4 : 238-244
- Khan, S. I., 5 : 110-113
- Khan, T. H., 1 : 211-220  
3 : 180-186
- Khanna, S. S., 2 : 129-135  
4 : 1-14, 228-232
- Kharb, R. P. S., 3 : 219-235
- Khazanchi, R., 2 : 299-305
- Khera, A. P., 3 : 192-195
- Khondaker, Z. H., 1 : 211-220
- Rrishnamoorthy, P. N., 2 : 183-187
- Krishnaswami, R., 4 : 258-267, 268-275
- Kuhad, M. S., 1 : 131-138  
4 : 1-14
- Kuldeep Singh, 3 : 288-292
- Kulkarni, J. H., 5 : 199-202
- Kulshreshtha, R. C., 3 : 345-354  
2 : 55-62
- Kumar, Aswani, 5 : 41-48,
- Kumbar, B. B., 4 : 179-184
- Kumar, R., 1 : 145-150
- Kumar, S., 3 : 66-75
- Kumari, G. Krishana, 2 : 137-142
- Lal, B., 2 : 265-269
- Lal, R., 3 : 35-42  
5 : 77-92
- Lather, B. P. S., 4 : 160-163
- Laura, R. D., 2 : 159-166  
3 : 98-104  
4 : 277-299
- Lekwa, G., 3 : 167-173
- Magu, S. P., 4 : 137-142
- Mahajan, V. M., 3 : 63-65
- Maheshwari, M. L., 1 : 139-144, 203-209  
1 : 231-238, 325-329
- Maitai, R. K., 4 : 15-22
- Malhotra, Sarla, 2 : 271-286
- Malik, D. S., 1 : 51-58  
3 : 196-201  
4 : 40-45, 55-62
- Malik, R. K., 1 : 65-72  
4 : 300-309
- Malik, R. S., 1 : 193-202, 273-278  
2 : 1-102  
3 : 66-75
- Mandal, R., 5 : 93-101; 110-113
- Mandal, S., 1 : 139-144
- Mandvikar, S. S., 5 : 182-189
- Maniokam, T. S., 4 : 335-340



- Marol, C., 1 : 123-130
- Marwaha, R. S., 5 : 227-230
- Mathur, R. S., 4 : 130-136
- Maurya, R. P., 5 : 209-214
- Mavi, H. S., 2 : 151-158
- Mehar, Singh, 4 : 175-178
- Meisheri, M. S., 3 : 22-27
- Milap Chand, 4 : 251-257
- Milkh Raj, 2 : 331-335
- Minhas, P. S., 2 : 245-250
- Misra, B. K., 1 : 111-121, 279-284  
3 : 52-54
- Misra, D. P., 2 : 227-232
- Mishra, M. M., 5 : 190-199
- Mittal, J. P., 3 : 105-113
- Mittal, S. P., 3 : 91-97, 187-191
- Mohan Singh, 4 : 23-29
- Mor, B. R., 4 : 160-163  
5 : 114-117
- Moawad, A. M., 4 : 188-211
- Munnu Singh, 1 : 187-192  
3 : 123-127
- Mushiri, S. M., 4 : 30-39
- Murty, V. V. N., 4 : 300-309
- Nagpaul, K. K., 4 : 126-129
- Naidu, Madupuri, R., 3 : 265-272
- Nainawatee, H. S., 2 : 221-226  
5 : 231-234
- Nand Lal, 5 : 175-181
- Nandal, D. S., 5 : 62-67
- Narasimha Rao, K., 4 : 371-374
- Narda, N. K., 4 : 300-309
- Naresh, J. S., 1 : 259
- Narwal, S. S., 4 : 40-45, 55-62
- Nath, S., 4 : 116-125, 221-227
- Nayyar, V. K., 3 : 82-90
- Nehra, S. C., 5 : 240-246
- Nelliat, E. V., 4 : 108-115
- Neog, Sabita Jyoti, 4 : 164-167
- Nooruddin, M., 4 : 95-98
- Oke, B. O., 3 : 105-113
- Oparaugo, S. M. C., 3 : 167-179
- Oswal, M. C., 4 : 126-129
- Pachauri, S. P., 3 : 137-138
- Pande, P. C., 1 : 279-289  
2 : 103-115  
3 : 52-54
- Pander, B. L., 4 : 283-289
- Pandya, B. P., 1 : 221-230
- Pant, K. C., 2 : 167-177
- Pareek, S. K., 1 : 139-144, 203-209
- Parmar, B. S., 1 : 7-17, 325-329  
2 : 199-204  
3 : 139-145  
4 : 371-374  
5 : 223-226
- Paroda, R. S., 2 : 179-182
- Paroda, Shashi, 5 : 190-198
- Partap, P. S., 4 : 164-167
- Partap Singh, 3 : 91-97, 187-191
- Pasricha, N. S., 2 : 143-150, 315-324
- Patel, G. R., 5 : 49-55
- Patel, K. A., 5 : 49-55
- Patil, B. P., 4 : 77-84
- Patil, P. K., 2 : 337-344
- Patil, V. K., 2 : 337-344
- Peacock, J. M., 4 : 15-22
- Perumal, N. K., 4 : 63-72
- Pillai, R. N., 5 : 137-142

- Pozwal, M. K., 4 : 276-279
- Potalia, B. S., 3 : 98-104  
4 : 297-299
- Prakasa Rao, E. V. S., 1 : 187-192  
3 : 123-127  
4 : 341-345
- Prasad, B. N., 4 : 143-145
- Prasad, D., 2 : 290-305
- Punia, M. S., 3 : 151-157, 255-264
- Raghu Mohan, N. G., 2 : 117-127
- Rahman, Shafiqur, 1 : 211  
4 : 238-244
- Raina, A. K., 2 : 361-365  
3 : 137-138
- Raj Reddy, K., 5 : 102-109
- Raja, V., 5 : 107-109
- Raj Kumar, 5 : 227-230
- Rajora, V. S., 2 : 361-362
- Raju, P. S., 4 : 15-22
- Rakha, N. K., 1 : 339-344
- Ram, C., 5 : 118-121
- Ram Singh, 1 : 317-324  
3 : 47-51
- Rana, R. S., 1 : 131-138
- Rana, D. S., 3 : 76-81  
4 : 233-237
- Raman, R. S., 3 : 236-254
- Rana, M. S., 4 : 290-296
- Randhir Singh, 1 : 145-150  
2 : 221-225, 287-297  
3 : 9-21
- Ranvir Singh, 3 : 114-118  
4 : 85-87
- Ranwa, R. S., 3 : 196-201
- Rao, A. R., 1 : 65-72, 261-271
- Rao, A. S., 2 : 217-220, 221-226
- Rao, A. Subba, 2 : 137-142
- Rao, D. S., 3 : 128-137
- Rao, G. S., Prasada 5 : 203-208
- Rathi, S. S., 1 : 253-258, 333-338  
2 : 257-263  
4 : 290-296
- Rattan, R. K., 1 : 111-121, 309-316
- Raychaudhuri, S. P., 1 : 1-6
- Rayar, Antoni J., 4 : 46-54
- Richter, J., 1 : 193-203  
2 : 1-102
- Rohtas Singh, 1 : 333-338
- Romero, Jean Jose, 1 : 19-23, 25-32
- Roy, N. K., 2 : 299-305  
5 : 215-222
- Rupa Kumar, K., 4 : 146-153
- Sachan, R. S., 3 : 43-46, 279, 287
- Saharan, M. R., 2 : 287-297  
3 : 9-21
- Sahota, T. S., 2 : 237-243  
4 : 63-72
- Samsad, A., 2 : 355-359
- Sangwan, M. L., 3 : 206-213, 214-218
- Sangwan, Naresh K., 2 : 179-182  
3 : 1-8
- Sapra, R. L., 3 : 119-122  
4 : 73-76
- Sardana, H. R., 5 : 150-153



- Sarkar, G. N., 1 : 151-158,299-307
- Sarode, S. V., 2 : 183-187
- Sarup, S., 1 : 91-93
- Saxena, S. N., 2 : 233-236,325-330
- Saxena, V.S., 1 : 331-332
- Sebastian, M. K., 2 : 307-310
- Seth, Sunil, 4 : 160-163  
5 : 114-117
- Sethi, K. L., 3 : 119-122  
4 : 73-76
- Shalid-Ullah, 2 : 355-359
- Shankar Kumar, D., 1 : 230-252  
5 : 131-149
- Shanwal, A. V., 3 : 273-278
- Sharda, D. P., 5 : 68-76
- Sharma, G.D., 2 : 179-182  
3 : 259-264
- Sharma, J. P., 2 : 233-236,325-330
- Sharma, J. S., 2 : 193-198  
3 : 128-131
- Sharma, K. N., 4 : 233-237
- Sharma, O. P., 3 : 202-205
- Sharma, R. C., 2 : 237-243  
4 : 175-178
- Sharma, R. D., 3 : 137-138
- Sharma, R. K., 1 : 171-174
- Sharma, V. P., 5 : 68-76
- Shivankar, V. J., 1 : 59-64
- Shri Ram, 2 : 257-263  
5B: 240-246
- Shri Ram, 5 : 209-214
- Shukla L. M., 1 : 111-121,309-316
- Shukla, R. P., 3 : 293-303  
4 : 360-364
- Shukla, U. C., 3 : 288-292
- Singh, B. D., 4 : 88-90
- Sihgh, D., 2 : 221-226
- Singh, I. P., 5 : 114-117
- Singh, K. D., 1 : 203-209
- Singh, M., 3 : 351-355  
4 : 341-345
- Singh, O. S., 2 : 151-158
- Singh, R., 2 : 221-226, 287-298
- Singh, R. A., 1 : 171-174
- Singh, R. C., 4 : 175-178
- Singh, R. P., 2 : 361-362  
3 : 313-317  
4 : 179-184
- Singh, S. B., 4 : 88-90
- Singh, S.P., 1 : 279-284  
2 : 183-192  
3 : 52-54, 132-136
- Singh, V.P., 3 : 265-272
- Sinha, M. K., 3 : 28-34
- Srinivasan, K., 5 : 203-208
- Srinivaschar, D., 1 : 273-278
- Srivastava, K. P., 4 : 168-174
- Srivastava, P. C., 3 : 137-138
- Srivastava, V. K., 1 : 139-144,231-238  
1 : 325-329
- Srivastava, Y. N., 1 : 331-332
- Steinbach, J., 3 : 304-312
- Subba Rao, A., 2 : 137-142
- Subbaiah, G. V., 1 : 51-58  
4 : 335-340
- Surinder Singh, 1 : 51-58  
3 : 196-201

- uri, V. K., 1 : 33-40
- Sutton, P. M., 4 : 30-39
- Szabolcs, I., 1 : 95-109
- Takkar, P.N., 3 : 85-90
- Tandon, P. L., 3 : 293-303
- Taneja, A. D., 3 : 151-157
- Taneja, H. K., 5 : 215-222
- Tewari, G. C., 5 : 150-153
- Thomas, T. A., 4 : 185-187
- Tomar, N. K., 2 : 129-135
- Tomar, S. S., 1 : 7-17
- Tripathi, I. D., 4 : 351-359
- Tripathi, R. S., 2 : 311-313  
3 : 146-150
- Ugherughe, P. O., 5 : 28-43
- Umamaheswara Rao, V., 2 : 251-256  
3 : 47-51  
5 : 127-130
- Vaidya, P. K., 1 : 221-230
- Vanelslende, A., 3 : 35-42
- Varade, P. B., 3 : 52-54
- Varghese, P. T., 4 : 108-115
- Vashistha, R. N., 4 : 164-167
- Verma, A. N., 5 : 1-27
- Verma, L.N., 4 : 97-107
- Verma, O. P., 4 : 97-107
- Verma, P. K., 3 : 255-264
- Verma, P. S., 4 : 88-90
- Vidya Sagar, 1 : 239-252
- Vig, A. C., 5 : 41-48
- Vittal Murty, K. P. R., 2 : 251-256  
5 : 127-130
- Wagle, D. S., 2 : 217-220
- Wiesner, L. E., 5 : 118-121
- Yadav, D. V., 4 : 228-232
- Yadav, I. S., 1 : 239-252
- Yadav, K. N., 1 : 253-258
- Yadav, R.P.4 : 228-232
- Yadav, S. S., 3 : 98-104
- Yamdagni, R , 5 : 56-61
- Yariv, Shmuel, 3 : 158-166  
4 : 310-322
- Yashwant Singh, 5 : 235-239
- Zile Singh, 1 : 81-90



# TITLE INDEX

Volumes : 1-5

(1983-1987)

- Accumulation and depletion of available phosphorus and potassium in a continued fertilizer experiment with a fixed crop rotation 5 : 41-48.
- Activity and multiple molecular forms of peroxidase in artificially aged soybean seeds. 2 : 217-220.
- Adsorption and desorption of sulphate by soils pretreated with different cations 2 : 143-150.
- Agro ecosystems water requirements for crops 5 : 127-130.
- Aldicarb residues in soil and their translocation into radish pods and seeds, 2 : 205-210.
- Allelopathic influence of winter weeds on germination and growth of wheat 4 : 276-279.
- Angioarchitecture of kidney in goat. 5 : 235-239.
- Applicability of empirical correlations for estimating global solar radiation 5 : 122-126.
- Availability of phosphorus from different sources to rice crop as influenced by levels of calcium carbonate, 2 : 129-136
- Azolla : a biofertilizer for rice, 4 : 168-211.
- Biochemical changes and therapeutic trials in experimental trypanosomiasis in dogs, 3 : 313-317.
- Bio-ecology and management of mango weevil (*Sternonchetus mangiferae* (Fabricius) Coleoptera-Curculionidae, 3 : 293-303.
- Blackgram (*Vigna mungo*) (L) Hepper) breeding : a review 3 : 219-235.
- Boron uptake by wheat as influenced by its profile distribution. 4 : 126-129
- Bovine babesiosis* in Bangladesh I : Clinico-haematological features under field conditions. 2 : 355-359.
- Breeding for salt resistance : concept and strategy. 3 : 236-254.
- Carbon fertilization : Influence of a simulated field soil respiration on soybean crop in the tropics 1 : 33-40
- Changes in galactolipid content of maize chloroplasts as influenced by growth and some herbicides. 2 : 227-232.
- Chemical composition and other nutritive characteristics of bajra (*Pennisetum typhoides* L.) : A review 2 : 271-286.
- Comparative performance of wheat, barley and oats for dry matter production and N uptake as affected by nitrogen fertilization. 4 : 251-257.
- Copper adsorption characteristics of some selected alkaline soils. 3 : 28-34.
- Correlation and path analysis studies in cowpea (*Vigna unguiculata* (L) Walp.) 3 : 114-118,
- Correlation studies between seedling and settling in sugarcane. 4 : 88-90

- Cost structure of raising Haryana cattle. 4 : 290-296
- Criteria of dry wind spell for the semi-arid region of south India. 2 : 251-256.
- Critical appraisal of macroscopic scale models of soil moisture dynamics under cropped conditions for soil moisture estimation. 4 : 300-309.
- Diffusive flux of zinc to wheat roots in some light textured soils. 3 : 22-27.
- Distribution patterns of diamondback moth and cabbage leaf-webber larvae on cabbage. 5 : 203-208.
- Economics of intercropping legumes in maize under rainfed conditions. 3 : 187-191.
- Effect of adsorbent charge density on the exchange behaviour of  $\text{Co}(\text{Pn})_3^{+3}$  in laponite and vermiculite by monovalent and bivalent inorganic ions. 1 : 299-307.
- Effect of artificial ageing on emergence rate index, stand establishment and grain yield in wheat. 5 : 118-121.
- Effect of calcium carbonate and ethylene diamine tetra acetic acid (EDTA) on phosphorus supplying characteristics of soil. 2 : 325-330.
- Effect of calixin and cytozyme on nodulation and nitrogenase activity of *Phaseolus mungo*. 4 : 143-145.
- Effect of different levels of irrigation and nitrogen on leaf yield and chemical characteristics of blue-cured virginia tobacco. 4 : 238-244.
- Effect of different rates, methods and time of nitrogen application on dry matter and NPK accumulation in oat. forage. 5 : 49-55.
- Effect of dithane M-45 (Mancozeb) on the N requirements of potato (*Solanum tuberosum* (L) in Shillong hills. 2 : 237-243.
- Effect of drought stress on water use. 3 : 35-42
- Effect of fertilizer and manure on yield, soil moisture and monetary returns from rainfed maize- wheat rotation. 3 : 91-97
- Effect of fertilizers application on double cropping under rainfed conditions 4 : 233-237
- Effect of glucosinolates in relation to aphid (*Lipaphis erysimi* Kalt) fecundity in crucifers. 1 : 273-278,
- Effect of intercropping on the growth and yield of rainfed sunflower and companion legumes. 4 : 55-62,
- Effect of irrigation and N fertilization on dry matter production, fruit yield, mineral uptake and field water use efficiency of watermelon 5 : 166-174.
- Effect of liming on soil pH, phosphorus availability and uptake and dry matter production of corn in some Sierra Leonean acid soils 4 : 30-39.
- Effect of mulches on soil temperature and sprouting of sugarcane ratoons 4 : 23-29.
- Effect of N, P and K fertilizers on yield and nutrient uptake in lemongrass (*Cymbopogon flexuosus* Stapf) 3 : 123-127.
- Effect of nitrogen fertilizer on geranium (*Pelargonium graveolens* L. Her Ex Ait ), cowpea and blackgram grown in sole cropping and intercropping systems 4 : 341-345.
- Effect of nitrogen and plant spacings on the growth, yield and nutrient uptake in davana (*Artemisia pallens* Wall), 1 : 187-191
- Effect of plant population and row spacing on light interception and grain yield of chickpea under late sown conditions. 4 : 245-250.



- Effect of rainfall variability on crop maturity in arid region of Haryana: a case study 1 : 317-324
- Effect of restricted feeding in growing pulllets on their subsequent performance. 5 : 68-76
- Effect of salinity, zinc and phosphorus on growth, Zn and P nutrition of pigeonpea (*Cajanus cajan*). 3 : 98-104
- Effect of season and period on first lactation weekly milk production in *murrah* buffaloes. 3 : 128-131.
- Effect of size, shape and charge of quaternary ammonium and alkanediammonium ions in the exchange of  $\text{Co}(\text{Pn})_3^{3+}$  from  $\text{Na-Co}(\text{pn})_3$ -bentonite and  $\text{Na-Co}(\text{pn})_3$ -vermiculite<sup>3</sup> 1 : 151-158.
- Effect of soil salinity on growth and nutritional status of guava (*Psidium Guajava* L) 2 : 337-344.
- Effect of soil crusting on seedling emergence in sorghum genotypes 4 : 15-22
- Effect of soil drying and wetting on  $\text{CO}_2$  evolution, microbial population and nitrogen transformation 4 : 13 -136.
- Effect of sowing dates on summer *mung* (*Vigna radiata* (L) Wil Czek) varieties. 4 : 175-178.
- Effect of sulphur on rice under flooded conditions. 5 : 93-101.
- Effect of the body size of ewes on birth and weaning weights of lambs 3 : 214-218
- Effect of variety and growing location on the proximate and fatty acid composition of opium poppy (*Papaver somniferum* Linn) 3 : 1-8.
- Effect of weights and measurements on placenta weight and number of cotyledons in *Nali* and *Lohi* sheep 1 : 167-169
- Effects of diflubenzuron on the pupae of okra shoot and fruit borer, *Earias vittella* F. 5 : 150-153.
- Efficacy of *Panacur* (R) against *haemonchosis* in goats 2 : 361-362.
- Efficiency of sparingly soluble, soluble and chelated zinc sources on yield, nutrient composition and nutrients ratios in *berseem* (*Trifolium alexandrinum*) 1 : 73-80
- Energy inputs to irrigation of paddy 1 : 65-72
- Enzymes of ammonia assimilation and total free amino acids as influenced by host genotype and rhizobial strain in mungbean (*Vigna radiata* (L) Wil Czek) nodules 2 : 221-226
- Enzyme of starch hydrolysis in developing grain of wheat (*Triticum aestivum* L) 1 : 145-150
- Epidemiological study of bovine stephanofilariasis in Bangladesh 4 : 96-98
- Equipment-related costs of cultivation on bullock-operated and tractor-operated farms 1 : 261-271
- Evaluating black gram (*V. Mungo* (L) Hepper) germplasm for yield components, quality characters and disease resistance 2 : 167-177
- Evaluation of critical level of soil zinc for predicting response of maize to zinc fertilization in Aridisols 3 : 288-291.
- Evaluation of dialkyl acyl phosphonates and their oximes as potential fungicides 5 : 215-221

- Evaluation of o-methyl-p-(dichloro-methyl) phosphoramidates and diamides against *M. incognita* causing root knot disease 2 : 299-305
- Evaluation of probable breeding values of Murrah bulls for efficiency of milk production 1 : 333-338
- Evaluation of some ne-oils as malathion synergists 5 : 223-226
- Factors affecting calving interval and lactation length in Friesian X Sahiwal crosses 5 : 240-246
- Flyash as a carrier for phorate granules 4 : 371-374
- Forage production in sorghum oats rotation as affected by tillage and method of fertilizer application under rainfed conditions 2 : 245-250
- First record of *Pyroderces simplex* Walsingham (Lepidoptera : Momphidae) infesting cotton in Haryana 1 : 259
- Genetic analysis of characters associated with yield in *G. hirsutum* L. 4 : 258-267
- Genetic analysis of heterosis in desi cotton (*Gossypium arboreum* L) 5 : 114-117
- Genetic analysis of maturity in guar (*Cyamopsis tetragonoloba* (L) Taub.) 2 : 211-216
- Genetic analysis of some useful characters in *G. hirsutum* L. 4 : 268-275
- Genetic analysis of yield and its components in *Kabuli* gram 1 : 221-230
- Genetics and breeding of *Pranago Quata* Forsk. - a review 3 : 255-264.
- Genetic divergence in hexaploid triticale 3 : 265-272
- Genetic group differences and relationships among udder and teat conformation traits in crossbred dairy cattle 4 : 283-289
- Genetic variability correlation and path analysis in celery 3 : 119-122
- Grain and straw yields and the uptake of N, P and K in sorghum (CSH-5) as affected by micronutrients under various levels of nitrogen 5 : 102-109
- Groundnut root nodulation as affected by micro-nutrients and *Rhizobium* inoculation 5 : 199-202
- Group composition of humus in some forest and adjoining cultivated soils of Bangladesh 3 : 180-186
- Growth and yield responses of sunflower cultivars to row spacing and nitrogen 4 : 40-45
- Growth characteristics of field grown wheat genotypes differing in grain yield 3 : 9-21
- Heptachlor residues in soil and their movement into maize plants/grains 1 : 59-54
- Heterosis and maternal effect in live traits (objective measurements) of lambs 2 : 193-198
- Improved DDT emulsifiable concentrates 3 : 139-145
- Improvement in the drought resistance of crops for the arid and semi arid tropics. 5 : 28-40
- Improvement of soil structure in tropical and sub-tropical areas : a review 4 : 97-107
- Incorporation of sucrose-C<sup>14</sup> in different lipid fractions of developing cereal endosperm 3 : 52-54.
- Indexing boll development and retention in cotton varieties for estimating yield of seed cotton 4 : 77-84
- Influence of *Azotobacter* inoculation on the availability of phosphorus in soil 5 : 110-113



- Influence of climate on bone growth in pigs reared in the humid equatorial tropics of southern Nigeria 3 : 104-312
- Influence of long term cultural operations on physical and water retention characters of a red sandy loam soil 4 : 108-115
- Influence of Mo, Zn and *Rhizobium* inoculation on dry matter yield and nitrogen content in chickpea (*Cicer arietinum* L) 2 : 159-165
- Influence of soil moisture stress on yield, grain quality, availability and uptake of N, P and K by wheat 1 : 211-220
- Inheritance of leaf size index in mid season cauliflower (*Brassica oleracea* Var. botrytis) 4 : 164-167
- Interactions of minerals of the kaolin group with cesium chloride and deuteration of the complexes 4 : 310-322
- Inheritance of nodal rooting in rice 2 : 311-313
- Inheritance of yield and its components in cowpea (*Vigna unguiculata* L) Walp) 4 : 85-87
- Interaction between calcite crystal and aqueous solution of ferrous and manganese sulphate 3 : 158-166
- Investigation in agronomic parameters of *senno* (*Cassia angustifolia* Vahl.) as grown in north-western India 1 : 139-144
- Investigation of chemical methods of assay of sennosides in senna (*Cassia Anguzifolia* Vahl.) 1 : 231-238
- Investigations on growth and tuberization of potato at different planting dates and nitrogen levels 4 : 63-72
- Isomalathion problem : a review 2 : 199-204
- Java citronella oil from aged grass 2 : 179-182
- Kinetics of immobilization of 15 N-labelled nitrate-N in the organic matter of a calcareous soil 1 : 19-23
- Line x tester analysis of seed yield and other important characters in sunflower 4 : 154-159
- Management of spotted bollworms (*Earlas spp*) in cotton : a review 5 : 1-27
- Micronutrient contents of chlorotic and normal plants of pigeonpea (*Cajanus cajan*) 4 : 297-299
- Mixed model maximum likelihood approach for evaluating bulls for milk production 2 : 257-263
- Modelling cobalt and phosphorus responses in some legumes 4 : 228-232
- Modified method of iodine determination by cerimetry method 3 : 137-138
- Nature of pore-size distribution in some alluvial soils 3 : 66-75
- Neurotoxin in *khesari dal* (*Lathyrus sativus*) 1 : 175-185
- Nitrogen transformations in a 15 N-labelled ryegrass when mixed to a calcareous soil 1 : 25-32
- Non-heirarchical euclidean cluster analysis in cherry 4 : 73-76
- Note on amplification of immune response to Newcastle disease vaccine 3 : 63-64

Note on pedogenic oxides in salt affected Aridisols	3 : 202-205	Pig diseases in India : a review	
Novel DDT formulation for the control of desert locust	1 : 331-332	Part I. Bacterial and viral diseases	2 : 345-354
Nutrient uptake and dry matter production of palmarosa oil grass under different levels of N,P and K fertilizers	1 : 203-209	Part II. Fungal, parasitic, nutritional and other diseases	3 : 55-62
Nutritional quality of Hibiscus seed protein	4 : 280-282	Possible links between grain filling and prolamin synthesis in high lysine and normal crop plants	2 : 103-115
Nutritional status of some guava orchards in Haryana	5 : 56-61	Potassium supplying power of some tropical soils	2 : 137-142
Nutritive value of soybean : a review	5 : 247-279	Prevalence of enteric colibacillosis in laboratory rabbits ( <i>Oryctolagus cuniculus</i> )	4 : 179-184
N, P and K requirements for targetted yield of forage sorghum ( <i>Sorghum bicolor</i> L) in Mollisol of Uttar Pradesh	3 : 43-46	Problems of soil salinity and alkalinity in tropical agriculture	1 : 95-109
Occurrence of talk and clay mineral assemblage in the ferruginous soils of Goa, India	2 : 117-127	Production potential of wheat and lentil under constraints of fertilizers and irrigation	3 : 76-81
Pedo-chemical characterization of soils of Haryana	4 : 1-14	Public health aspects of toxoplasmosis	1 : 159-165
Persistence pattern and safety evaluation for monocrotophos and quinalphos in french bean	4 : 365-370	Rainfall analysis for crop planning in Bhopal region	5 : 182-189
Phenotypic correlations of external body measurements with egg production and body weights in white pekin ducks	1 : 171-174	Rapid and sensitive method of protein estimation in legume grains	5 : 231-234
Phenotypic stability in upland cotton	4 : 160-163	Rapid decline in cellular sulphhydryl level and ADP-glucose linked starch synthetase activity in maturing wheat grain	1 : 279-284
Photosynthesis, dark respiration, photorespiration and related enzymes in flag leaf of field grown wheat genotypes	2 : 287-297	Regeneration studies in <i>Balanites roxburgii</i> Pl.	4 : 346-350
Phytosociology and soil characteristics of forests in the eastern Himalayas	4 : 116-125	Relationship between specific gravity and dry matter content of potato tubers	5 : 227-230



- Relative efficacy of some synthetic pyrethroids and other commonly used insecticides against bollworms and their residues in cotton. 4 : 163-174
- Relative selection efficiencies of various part period production 2 : 265-279
- Removal of soil fertility constraints for efficient fertiliser use 1 1-6
- Reproduction profiles of *murrah* buffaloes under progeny testing programme 1 : 253-258
- Respiration as influenced by urea herbicides in soil amended with compost 4 : 137-142
- Response of forage sorghum (*Sorghum bicolor* L) to soil and applied N, P and K in a Mollisol of Uttar Pradesh 3 : 279-287
- Response of groundnut (*Arachis hypogaea* L) to application of farmyard manure, and N and P on light sandy savanna soil of northern Nigeria 4 : 46-54
- Response of maize (*Zee mays*) and cassava (*Manihot esculenta*) to removal of surface soil from an Alfisol in Nigeria 5 : 77-92
- Response of pearl millet hybrids to levels of nitrogen under rainfed conditions of Haryana 3 : 196-201
- Review of research on insecticide synergists in India : retrospect and prospect 1 : 7-17
- Review on the germination, morphology and reproduction of *bathua* (*Chenopodium album* L.) 5 : 156-165
- Role of cobalt in soil and plant nutrition —a review 1 : 111-127
- Role of immunoglobulins in calf survivability : a review 3 : 206-218
- Role of major plant nutrients (N, P & K) in the management of insect-pests of cowpea (*Vigna unguiculata* L) Walp.) 5 : 209-214
- Role of phosphorus availability parameters for crop yield and P utilization in wheat (*Triticum aestivum* L) 2 : 233-236
- Rumen metabolism and nutrient utilization as influenced by nitrogen and sulphur inputs : a review 5 : 131-149
- Ruminal microbiota and ammonia anabolizing enzymes as influenced by dietary regimens : a review 1 : 239-252
- Selected engineering properties of grains of two sorghum varieties 3 : 105-113
- Seroprevalence of *Theileria annulata* infection among Indian water buffalo (*Bubalus bubalis*) 1 : 91-93
- Shattering in guar (*Cyamopsis tetragoloba* (L) Taub) and its significance 4 : 185-187
- Smectite formation in a catena of soils derived from micaceous alluvium 3 : 273-279
- Soil characteristics and nutrient indexing of wheat in alkali fields under reclamation 3 82-90
- Soil characteristics of conifer plantations versus natural forest in the eastern Himalaya 4 : 221-222
- Soil-landscape relationships in the Kafanchan piedmont, northern Nigeria 3 : 167-17

- Soil mineralogy and clay mineral formation in low hill zone of Kangra, Himachal Pradesh 1 : 285-298
- Soil spatial variability : a review 2 : 1-102
- Soil versus foliar nutrition of *ber* trees with urea 3 : 197-195
- Some biochemical changes in Tok E-25 toxicity in calves 2 : 189-192
- Some microclimatic aspects of pigeonpea crop 2 : 151-158
- Some observations of herbicide toxicity in calves 3 : 132-138
- Some physico-chemical properties and the fertility status of soils under three different cultivation systems around Nsukka, Nigeria 4 : 323-334
- Some plants used as veterinary medicine by Bhils 2 : 307-310
- Sources of income of farm families with varied size-tenurial characters in Bangladesh 5 : 62-67
- Spatial variation of some chemical and physical properties within single contiguous delineations of two soil sampling units of a salt-affected soil 1 : 131-138
- Studies on dew in Haryana 3 : 47-51
- Studies on nodal differentiation in rice and nature of its inheritance 3 : 146-150
- Studies on relative efficiency of important crops for seed yield in rainfed conditions 1 : 51-58
- Studies on *zineb* as nitrification inhibitor 5 : 190-198
- Study by size fractionation of organic matter in a cultivated tropical soil fertilised with labelled crop residues ( $^{14}_6$   $^{15}_n$ ) and urea ( $^{15}_n$ ) 1 : 123-133
- Testing of Burns model in a salt affected field 4 : 212-220
- Testing of simple leaching models in a field soil 1 : 193-202
- Thin layer chromatographic and high performance liquid chromatographic determination of S-methyl isomer of malathion 1 : 325-329
- Toxicity of isoproturon in livestock 1 : 339-344
- Translocation of some soil insecticides into onion 2 : 183-187
- Triple test cross analysis in  $F_2$  populations of two barley crosses 4 : 351-359
- Uniformity trial in pearl millet 1 : 41-49
- Use of immune blotting technique for detection of aleutian disease virus protein in infected mink 4 : 91-95
- Use of pyrite, press-mud, ammonium sulphate and sulphur for the amelioration of lime-induced chlorosis of sugarcane in Vertisols 5 : 175-181
- Utilization of correlation and path coefficient analysis in sugarcane breeding programmes 3 : 151-157
- Water management practices affecting leaching of phorate in soil 1 : 81-90
- Water retention characteristics of some Vertisols of Andhra Pradesh in relation to soil properties 4 : 335-340
- Within plant distribution of leaf hopper, *Amrasca biguttula biguttula* Ishida (Homoptera Cicadellidae) on brinjal 4 : 360-364
- Yield and sulphur uptake of green gram as affected by sources and levels of sulphur 2 : 331-335
- Yield-weather relationships of finger millet under different manurial treatments 4 : 146-153
- Zinc adsorption characteristics of the soil as influenced by some exchangeable cations 2 : 315-324
- Zinc-magnesium interactions in soil and plants as measured by crop response 1 : 39-316

# SUBJECT INDEX

Vol : 1-5

(1983-87)

- Acid soils-effect of liming 4 : 30-39
- Adsorption of salphate-by soils 2 : 142-150
- Aged grass-java citronella oil 2 : 179-182
- Aged soybean seeds-peroxidase in 2 : 217-220
- Agro-ecosytems water requirements-for crops 5 : 127-130
- Agronomic parameters-of senna 1 : 139-144
- Aldicarb residues-in radish 2 : 205-210  
—in soil 2 : 205-210
- Aleutian disease virus protein-in infected mink 4 : 91-95
- Alkali fields-reclamation of 3 : 82-90
- Alkaline soils-copper adsorption characteristics of 3 : 28-34
- Alkalinity-in tropical agriculture 1 : 95-109
- Alleopathic influence of weeds 4 : 276-279
- Alluvial soils-pore size distribution in 3 : 66-75
- Amelioration-of lime-induced chlorosis of sugarcane 5 : 175-181
- Ammonia assimilation-in mungbean 2 : 221-226
- Ammonium sulphate-in sugar cane 5 : 175-181
- Angio-architecture of kidney-in goat 5 : 235-239
- Amrasca biguttula biguttula* Ishida see leaf hopper
- Aphid fecundity-in crucifers 1 : 273-278
- Aqueous solution of ferrous 3 : 158-166
- Arachis hypogaea* see groundnut
- Artemisia pallens* Wall see dauana
- Artificial aging-in wheat 5 : 118-121
- Assay of sennosides-in senna 1 : 231-238
- Azolla 4 : 198-211
- Azotobacter inoculation-in soils 5 : 110-113
- Bacterial diseases-of pigs 2 : 345-354
- Bajra*  
—chemical composition 2 : 271-286  
—nutritive characteristics of 2 : 271-286
- Balanites roxburghii* P.L.  
—regeneration studies in 4 : 346-350
- Barley*  
—dry matter production 4 : 251-257  
—nitrogen uptake 4 : 251-257  
—nitrogen fertilization 4 : 251-257  
—performance of populations of 4 : 351-359  
—triplet cross analysis of 4 : 351-359
- Bathua*  
—germination 5 : 156-165  
—morphology 5 : 156-165  
—reproduction 5 : 156-165



### *Berseem*

- efficiency of zinc sources 1 : 73-80
- nutrient composition 1 : 73-80
- nutrient ratios 1 : 73-80
- yield 1 : 73-80

### *Biochemical changes*

- in experimental trypanosomiasis-in dogs 3 : 313-317
- in Tok E-25 toxicity in calves 2 : 189-192

### *Bio-elology*

- of mango weevil 3 : 289-303

### Biofertilizer for rice-azolla 4 : 198-211

### *Blackgram*

- breeding 3 : 219-235
- disease resistance 2 : 167-177
- germ plasm 2 : 167-177
- nitrogen fertilization 4 : 341-345
- quality characters 2 : 167-177
- yield 2 : 167-177

### Body size of ewes-lambs

3 : 214-218

### Bollworms-in cotton

4 : 168-174

### Bonegrowth in pigs

3 : 304-313

### Boron uptake by wheat

4 : 126-129

### Bovine babesiosis

- clinical features 2 : 355-359
- haematological features 2 : 355-359

### Bovine stephanofilariasis

- epidemiological study of 4 : 96-98

### *Brassica oleracea* var *Botrtytis*

see cauliflower

### *Brcediug*

blackgram 3 : 219-235

—plantago ovata Forsh 3 : 256-264

—for salt resistance 3 : 236-255

### Breeding values of murrah bulls

1 : 333-338

Brinjal-leaf hopper of 4 : 360-364

### *Bubalus bubalis* see buffalo

Buffalo-milk production 3 : 128-131

—reproduction in 1 : 253-258

—seroprevalance of theileria annulata infection 1 : 91-92

Bullock operated farms-cost of cultivation 1 : 261 271

### *Bulls*

—evaluation for milk production 2 : 257-263

### *Bunrs model*

—testing in a salt-affected field 4 : 212 220

### *Cabbage*

—diamondback moth 5 : 203-208

—leaf-webber larvae 5 : 203-208

### *Cajanus cajan* see pigeonpea

Calcareous soil-nitrogen immobilization 1 : 18-23

—organic matter of 1 : 18-23

—nitrogen transformation 1 : 25-32

- Calcite crystal, interaction 3 : 158-66
- Calcium carbonate-effect on soil  
2 : 325-330
- Calf survivability-immunoglobulins in  
3 : 206-213
- Calixin-of phaseolus mungo 4 : 143-145
- Calves  
—biochemical changes in 2 : 189-192  
—herbicide toxicity in 3 : 132-138  
—Tok-E-25 toxicity 2 : 189-192
- Calving interval-in Friesian x Sahiwal  
crosses 5 : 240-246
- Carbon fertilization-on soybean crop  
1 : 33-40
- Carrier-for phorate granules 4 : 371-374
- Cassava-removal of surface soil 5 : 77-92  
—response of 5 : 77-92
- Cassia angustifolia* Vahl see senna
- Catena-smectite formation in 3 : 273-278
- Cauliflower-leaf size index 4 : 164-167
- Cattle-cost structure of raising 4 : 290-296
- Celery*  
—correlation in 3 : 119-122  
—path analysis in 3 : 119-122  
—non-hierarchical eucliden cluster  
analysis 1 : 72-75
- Cereal endosperm-incorporation of sucrose  
3 : 52-54  
—lipid fractions of 3 : 52-54
- Cerimetry method-of iodine  
determination 3 : 137-138
- Cesium chloride-of the kaolin group  
4 : 310-322
- Chemical characterization-of soils 4 : 1-14  
—of tobacco 4 : 238-244
- Chemical composition-of bajra 2 : 271-285
- Chemical properties  
—of soils 4 : 323-334  
—spatial variation 1 : 131-133
- Chenopodium allbum* L. see Bathua
- Chlorosis-of sugarcane 5 : 175-181
- Chlorotic-micronutrint contents of  
4 : 297-299
- Cicerarietinum* L see chickpea
- Chickpea-grain yield of 4 : 245-250  
—influeuce of Mo 2 : 159-165  
—influence of Zn 2 : 159-165  
—nitrogen content in 1 : 159-165  
—rhizobium inoculation 2 : 159-165  
—row spacing 4 : 245-250  
—sown conditions 4 : 245-250
- Clays-quaternary ions on 1 : 153-158
- Clay mineral assemblage-in ferruginous  
soils 2 : 117-127
- Clay mineral formation 1 : 285-298
- Cobalt-in legumes 4 : 228-232  
—in plant nutrition 1 : 111-121  
—in soil nutrition 1 : 111-121
- Components-in cowpea 4 : 85-87  
—in kabuli gram 1 : 221-230
- Compost-soil amended with 4 : 137-142
- Conifer plantations-natural forests  
4 : 221-227  
—soil characteristics of 4 : 221-227

Constraints of fertiliser in lentil production	3 : 75-81	Crop planning-rainfall analysis for	5 : 182-189
—in wheat production	3 : 75-81	Crops-agro ecosystems water requirements for	5 : 127-130
Constaints of irrigation		—drought resistance of	5 : 29-40
—in lentil production	3 : 75-81	Crop yields-surface soil removal	5 : 77-92
—in wheat production	3 : 75-81	Crop response-magnesium	1 : 309-316
Copper adsorption characteristics-of alkaline soils	3 : 28-34	—zinc	1 : 309-316
Correlation-in celery	3 : 119-122	Crop water requirements	5 : 127-130
—in cowpea	3 : 114-118	Crossbred dairy cattle-teat conformation traits	4 : 283-289
—in sugar cane breeding programmes	3 : 151-157 4 : 88-90	—udder conformation traits	4 : 283-289
Cost of cultivation-on farms	1 : 261-271	Cultivated soils-humus in	3 : 180-186
Cost structure of raising-cattle	4 : 290-296	Cultural operations-of red sandy loam soil	4 : 108-115
Cotton-bollworms	4 : 168-174	Cyamopsis tetragonaloba (L) Taub see guar	
—genetic analysis	5 : 119-117	Cyamopsis tetragonaloba (L) see guar	
—heterosis in	5 : 114-117	Cymbopogon flexuosus (Staff) see lemongrass	
—phenotypic stability	4 : 160-163	Cytozyme-of Phaseolus mungo	4 : 143-145
—spotted bollworms	5 : 1-27	Davana-growth	1 : 187-192
—synthetic pyrethroids	4 : 168-174	—nitrogen	1 : 187-192
Cowpea-components in	4 : 85-87	—nutrient uptake	1 : 187-192
—correlation in	3 : 114-118	—yield	1 : 187-192
—inheritance of yield	4 : 85-87	Dark respiration-in wheat	2 : 287-297
—path analysis	3 : 114-118	D D T emulsifiable concentrates	3 : 139-145
—plant nutrients in	5 : 209-214		
—nitrogen fertilization	4 : 341-345		
Criteria-of dry wind spell	2 : 251-256		
Crop maturity-rainfall variability	1 : 317-324		
Crop rotation-available phosphorus	5 : 41-58		
—available potassium	5 : 41-48		



D D T formulations-control of desert locust	1 : 331-332	Earias spp see spotted bollworms	
Desert locust-of control	1 : 331-332	Earias vittella F diflubenzuron on	5 : 150-153
Desorption of sulphate by soils	2 : 142-150	Ecosystems water requirements-for crops	5 : 127-30
Detection-of aleutian disease virus protein	4 : 91-95	Efficiency of kharif crops-in rainfed conditions	1 : 51-58
Dew-studies in	3 : 47-54	Efficient fertilizer use	1 : 1- 6
Dialkyl acyl phosphates-evaluation of	5 : 215-222	Emergence rate-in wheat	5 : 118-121
Diamondback moth of cabbage	4 : 203-208	Empirical correlations-for solar radiation	5 : 122-126
Dietary regimens and enzymes	1 : 239-252	Energy inputs-to paddy	1 : 65-72
Diflubenzuron-on Farias vittella	5 : 150-153	Engineering properties-of sorghum	3 : 105-113
Disease resistance-in blackgram	2 : 167-177	Enteric colibacillosis-in laboratory rabbit	4 : 179-184
Dithane M-45 (Mancozeb)-on potato	2 : 237-243	Enzymes and dietary regimens	1 : 239-252
Dogs-experimental trypanosomiasis in	3 : 313-317	Enzymes of starch hydrolysis	1 : 145-150
Double cropping-fertilizer application for	4 : 233-237	Enzymes in flag leaf of wheat	2 : 287-297
Drought resistance-of crops	5 : 29-40	Epidemiological study of bovine stephanifilariasis	4 : 96-98
Drought stress-on water yam	3 : 35-45	Ethylene diamine tetra acetic acid (EDTA) — effect on soils	2 : 325-330
Dry matter content-of potato	5 : 227-230	Exchangeable cations-zinc adsorption of soil	2 : 315-324
Dry matter production-of barley	4 : 251-257	Exchange behaviour-of laponite	1 : 299-307
— of palmarosa oil grass	1 : 203-209	— of vermiculite	1 : 299-307
— of oat	4 : 251-257	Experimental trypanosomiasis-in dogs	3 : 313-317
— of water melon	5 : 166-174	Foliar versus soil nutrition of ber trees	3 : 192-195
— of wheat	4 : 251-257		
Dry wind spell-criteria for	2 : 251-258		

Farms		Flue-cured virgina tobacco	
—cost of cultivation	1 : 261-271	—see tobacco	
Fatty acid composition		Forests	
—of poppy	3 : 1-8	—humus in	3 : 180-186
Feeding		Forests soils	
—in pullets	5 : 68-76	—phytosociology	4 : 116-125
Ferrous, aqueous		—soil characters	4 : 116-126
—solution of	3 : 158-166	French Bean	
Ferruginous soils		—monocrotophos in	4 : 365-370
—clay mineral assemblage in	2 : 117-127	—quinalphos in	4 : 365-370
—occurrence of talc	2 : 117-127	Friesian x Sahiwal crosses	
Fertility status		—calving interval	5 : 240-246
—of soils	4 : 323-334	—lactation length	5 : 240-246
Fertilizer application		Fungal diseases	
—for double cropping	4 : 233-237	—of pigs	3 : 55-62
Fertilizer		Galactolipid content	
—effect in maize-wheat rotation	3 : 91-97	—of maize	2 : 227-232
Finger millet		Genetic analysis	
—manurial treatments	4 : 146-153	—in cotton	5 : 114-117
—weather-yield relationship	4 : 146-153	—in guar	2 : 211-215
—yield-weather relationship	4 : 146-153	—in <i>G. Hirsutum</i>	4 : 258-267
Fixed crop rotation		—in <i>Kabuli</i> gram	1 : 221-230
—available phosphorus	5 : 41-48	Genetic divergence	
—available potassium	5 : 41-48	—in hexaploid triticales	3 : 265-272
Flooded conditions		Genetic variability correlation	
—sulphur on rice	5 : 93-101	—in celery	3 : 119-122
Flyash		—in cowpea	3 : 114-118
—career for phorate granules	4 : 371-374	Geranium	
Forage production		—nitrogen fertilizer	4 : 341-345
—in oats	2 : 245-250	Germination	
—in sorghum	2 : 245-250	—of <i>Bathua</i>	5 : 156-165
Forage sorghum	3 : 43-48	—of wheat	4 : 276-279
—response to soil	3 : 279-287		

Germplasm for yield		—in wheat	3 : 9-21
—of blackgram	2 : 167-177	<i>Guar</i>	
Goats		— genetic analysis of	2 : 211-216
—angioarchitecture of kidney	5 : 235-239	—maturity in	2 : 211-216
—haemonchosis in	2 : 361-362	—shattering in	4 : 185-187
<i>G. Hirsutum</i> L.		<i>Guava</i>	
—genetic analysis	4 : 258-267	— nutritional status	2 : 337-344
	4 : 268-274		5 : 56-61
—yield	4 : 254-267, 268-274	<i>Haemonchosis</i>	
Grain filling		— in goats	2 : 361-362
— in high lysine plants	2 : 103-115	<i>Heptachlor</i> residues	
Grain quality		— in maize grains	1 : 59-69
— in wheat	1 : 211-220	— in maize plants	1 : 59-69
	3 : 9-21	— in soils	1 : 59-69
Grain yield		<i>Herbicides</i> —in maize	2 : 227-232
— in wheat	4 : 118-121	<i>Herbicide</i> toxicity	
Green gram		— in calves	3 : 137-138
—sulphur uptake	2 : 331-335	<i>Hexaploid</i> triticales	
— yield	2 : 331-335	— genetic divergence in	3 : 265-272
Group composition		<i>Heterosils</i>	
— of humus	3 : 180-186	— in cotton	5 : 114-117
Groundnut		— in lambs	2 : 193-198
—micronutrients applications	5 : 199-202	<i>Hibiscus</i> seed protein	
—response to farm yard manure	4 : 46-54	— nutritional quality of	4 : 280-282
—response to fertilizer	4 : 46-54	<i>High</i> lysine plants	
— <i>Rhizobium</i> inoculation	5 : 199-202	—grain filling in	2 : 103-115
—root nodulation	5 : 199-202	—prolamin synthesis in	2 : 103-115
Growth		<i>Humus</i>	
— in guara	2 : 337-344	— in Bangla Desh soils	3 : 180-186
— in maize	2 : 227-232	<i>Immune</i> blotting technique	
—pigeonpea	3 : 91-104	— use in mink	4 : 91-95



Immune response		Irrigation	
—to Newcastle disease vaccine	3 : 63-65	—of watermelon	5 : 166-174
Immunoglobulins		Irrigation energy inputs	
—in A calf survivability	3 : 2 6-213	—in paddy	1 : 65-72
Improvement of soil structure	4 : 97-107	Isomalathion problem	2 : 199-204
Income of farm families		Isoproturan in livestock	
—sources of	5 : 62-67	— toxicity of	1 : 339-344
Incorporation of sucrose		Java citronella oil	
—of cereal endosperm	3 : 52-54	—from aged grass	2 : 179-182
Index		Kabuli gram	
—in wheat	5 : 118-121	—components	1 : 221-230
Indexing boll development		—genetic analysis in	1 : 221-230
—in cotton	4 : 77-84	—yield	1 : 221-230
Cotton		Kaolin group	
Indexing boll development	4 : 77-84	—interactions of minerals	4 : 310-322
— <i>Pyroderces simplex</i>	1 : 259	Kaolin minerals	
—retention in	4 : 77-84	—interaction	4 : 310-322
Indian water buffalo		<i>Khesri dal</i>	
—see buffalo		—neurotoxin in	1 : 175-184
Inheritance		<i>Kharif</i> crops	
—in cowpea	4 : 85-87	—efficiency of	1 : 51-58
—of model rooting in rice	2 : 311-313	Kinetics	
Insecticide synergists		—of nitrogen immobilization	1 : 18-23
—research in India	1 : 7-17	Laboratory rabbits	
Insect-pests		—enteric colibacillosis in	4 : 179-184
—of cowpea	5 : 209-214	Lactation length	
Interactions of minerals	4 : 310-322	—in Friesion x Sahiwal crosses	5 : 240-246
Inter cropping		—body size of ewes	3 : 214-218
—legumes in maize	3 : 187-191	Lambs	
—sunflower with legumes	4 : 55-62	—hetecosis in	1 : 193-198
Iodine determination			
—by cerimetry method	3 : 137-138		

Landscape-soil relationship	3 : 167-179	Line x tester analysis	
Laponite		—in sunflower	4 : 154-159
—exchange behaviour of	1 : 299-307	<i>Lipaphis Erysimi</i> Kalt	
Larvae		—in crucifers	1 : 273-278
—on cabbage	5 : 203-208	Lipid fractions	
<i>Lathyrus Sativus</i>		—of cereal endosperm	3 : 52-54
—see <i>Khuseri Dal</i>		Livestock	
Leaching models		—toxicity of isoproturon in	1 : 339-344
—testing of	1 : 193-202	Locust	
Leaf hopper		—control of	1 : 331-332
—of brinjal	4 : 360-364	Macroscopic scale models	
Leaf size index		—of soil moisture dynamics	4 : 300-309
—in cauliflower	4 : 164-167	Magnesium interactions	
Leaf yield		—in plants	1 : 309-316
—of tobacco	4 : 238-244	—in soils	1 : 309-316
Legumes		Maize	
—modelling cobalt	4 : 228-232	—galactolipid content of	2 : 227-232
—phosphorus responses	4 : 228-232	—growth	2 : 227-232
—protein estimation	5 : 231-234	—herbicides	2 : 227-232
Legumes		—heptachlor residue in	5 : 77-92
—intercropping with sunflower	4 : 55-62	—response of	2 : 59-64
Legumes in maize		—soil-zinc for	3 : 288-292
—inter cropping	3 : 187-191	Maize in legumes	
Lemongrass		Malathion	
—nutrient uptake in	3 : 123-127	—intercropping	3 : 187-191
Light interception		Maize-wheat rotation	3 : 91-97
—chickpea	4 : 245-250	—S-methyl isomer of	1 : 325-329
Lime-induced chlorosis		Malathion synergists	
—of sugarcane	5 : 175-181	—Ne-oils	5 : 223-226
Liming		Mollisol	
—effect on acid soils	4 : 30-39	—forage production	3 : 43-48
		Management	
		—of mango weevil	3 : 293-303

Manganese sulphate	3 : 158-166	—for evaluating bulls	2 : 257-263
<i>Manihot esculenta</i>		Modified method of iodine determination	
see <i>Cassava</i>		—by cerimetry method	3 : 137-138
Mango weevil		Moisture	
—Bio-ecology	3 : 293-303	—effect on maize-wheat rotation	
—management of	3 : 293-303		3 : 91-97
Manure		Monocrotophos	
—effect on maize-wheat rotation		—persistence pattern on French bean	
	3 : 91-97		4 : 365-370
Manurial treatments		—safety evaluation for	3 : 365-370
—finger millet	4 : 146-153	Monetary returns	
Maturity		—from rainfed maize-wheat rotation	
—in <i>guar</i>	2 : 211-216		3 : 91-97
Method of iodine determination		Morphology	
—by cerimetry method	3 : 137-138	—of <i>Bathua</i>	5 : 156-165
Microbial population		Mulches	
—in soil	4 : 130-135	—effect on soil temperature	4 : 23-29
Microclimatic aspects		—effect on sprouting of sugarcane ratoons	4 : 23-29
—of pigeonpea	2 : 151-158	<i>Mungbean</i>	
Micronutrient contents		—ammonia assimilation	2 : 221-228
—of chlorotic pigeonpea	4 : 297-299	—production	4 : 176-178
—of normal plant of pigeonpea		—sowing dates	4 : 176-178
	4 : 297-299	—symbiotic association	2 : 221-228
Milk production		Murrah bulls	
—in buffaloes	3 : 128-131	—breeding values of	1 : 333-338
Mineral uptake		Natural forests	
—of watermelon	5 : 166-174	—conifer plantations	4 : 221-227
Mink		Ne-oils	
—aleutian disease virus protein		—malathion synergists	5 : 223-226
	4 : 91-95	Neurotoxin	
Mixed Model Maximum Likelihood approach		—in <i>Khesri Dal</i>	1 : 175-185



New castle disease vaccine		Nitrogen uptake	
—immune response to	3 : 63-65	—barley	4 : 251-257
Nitrification inhibitor		—oats	4 : 251-257
—zineb	5 : 190-198	—wheat	4 : 251-257
Nitrogen		Nitrogenase activity	
—immobilization in soil	1 : 18-23	—of <i>phaseolus mungo</i>	4 : 143-145
—transformation	1 : 25-32	Nodal differentiation	
Nitrogen content		—in rice	3 : 146-150
—in chickpea	2 : 159-165	Nodal rooting	
Nitrogen fertilization		—in rice	2 : 311-313
—barley	4 : 251-257	Nodulation	
—blackgram	4 : 341-345	—in groundnut	5 : 199-202
—cowpea	4 : 341-345	Nodulation	
—geranium	4 : 341-345	—of <i>Phaseolus mungo</i>	4 : 143-145
—oats	4 : 251-257	Non-hierarchical cluster analysis	
—wheat	4 : 251-257	—in celery	4 : 73-76
Nitrogen immobilization		Non-edible oils	
—kinetics of	1 : 18-23	—see Ne-oils	
Nitrogen in rumen metabolism	5 : 131-141	Nutrient composition	
Nitrogen levels		—in <i>Berseem</i>	1 : 73-80
—of pearl millet	3 : 196-201	Nutrient indexing	
—of potato	4 : 63-72	—of wheat	3 : 82-90
—of sunflower	4 : 40-45	Nutrients rations	
—of tobacco	4 : 238-244	—in <i>Berseem</i>	1 : 73-80
—of watermelon	5 : 166-174	Nutrient uptake	
Nitrogen requirement		—in Davana	1 : 187-192
—of potato	2 : 237-243	—in lemargrass	3 : 123-127
Nitrogen transformation		—in palmrosa oil grass	1 : 203-207
—in soil	1 : 25-32	—in wheat	1 : 211-220
	4 : 130-135	Nutrient utilization	5 : 131-149

Nutritional diseases		<i>Oryctolagus caniculus</i>	
—of pigs	3 : 55-62	—see rabbits	
Nutritional quality		Oxides	
— of <i>Hibiscus</i> seed protein	4 : 280-282	—in salt affected arid soils	3 : 201-205
Nutritional status		Paddy	
—of guava	2 : 337-344	—irrigation energy inputs	1 : 65-72
—of guava orchards	5 : 56-61	Palmrosa oil grass	
Nutritive characteristics		—dry matter production	1 : 203-209
—of <i>bajra</i>	2 : 271-286	— nutrient uptake	1 : 203-209
Nutritive value		Panacur (R) efficacy	
—of soybean	5 : 247-279	— against haemonchosis	2 : 361-362
Oats		<i>Papaver somniferum</i> Linn	
—dry matter production	4 : 251-257	—see poppy	
—forage production	5 : 49-55	Parasitic diseases	
—nitrogen fertilization	4 : 251-257	—of pigs	3 : 55-62
	5 : 49-55	Part perion production	
—nitrogen uptake	4 : 251-257	—selection efficiencies of	2 : 265-270
	5 : 49-55	Path analysis	
—performance of	4 : 251-257	—in celery	3 : 119-122
Occurrence of talc		—in cowpea	3 : 114-118
—in ferruginous soils	2 : 117-127	Path co-efficient analysis	
Onion		— sugarcane breeding programmes	
—translocation of insecticides in			3 : 151-157
	2 : 183-187	Pearl millet	
Opium poppy		—chemical composition of	2 : 271-286
—fatty acid composition	3 : 1-8	—nitrogen levels of	3 : 196-201
—proximate composition	3 : 1-8	—unritrive characteristics of	2 : 271-286
Organic matter		—uniformity trial in	1 : 41-49
—of a calcareous soil	1 : 18-23	Pedo-chemical characterization	
Organic matter		—of soils	4 : 1-14
—size fractionation of	1 : 123-130	Pecogenic oxides	
		—in salt affected arid soils	3 : 202-205

<i>Pelargonium graveolens</i> L Her Ex Ait		Phosphorus utilization	
—see geranium		—in wheat	2 : 233-236
<i>Pennisetum typhoides</i> L.		Photorespiration	
—see Bajra		—in wheat	2 : 287-297
Peroxidase		Photosynthesis	
—in aged soybean seeds	2 : 217-220	—in wheat	2 : 287-298
<i>Phaseolus mungo</i>		Physical properties	
—calcium	4 : 143-145	—of red sandy loam soil	4 : 108-115
—cytozyme	4 : 143-145	—of soil	4 : 323-334
—nitrogenase activity	4 : 143-145		4 : 335-354
—nodulation	4 : 143-145	Pig diseases	
Phenotypic correlations		—bacterial diseases	2 : 345-354
—in white pekin ducks	1 : 171-174	—bone growth in	3 : 304-312
Phenotypic stability		—viral diseases	2 : 345-354
—in cotton	4 : 160-163	—fungal diseases	3 : 55-62
Phorate granules		—nutritional diseases	3 : 55-62
—flyash as a carrier	4 : 371-374	—parasitic diseases	3 : 55-62
Phorate leaching		Pigeonpea	
—water management practices	1 : 81-90	—growth	3 : 98-104
Phosphonamidates		—microclimatic aspects of	2 : 151-158
—evaluation of	2 : 299-305	—micronutrient contents of	4 : 297-299
Phosphonates		—phosphorus	3 : 98-104
—evaluation of	5 : 215-222	—salinity	3 : 98-104
Phosphorus		—zinc	3 : 98-104
—availability to rice crop	2 : 129-135	<i>Plantago ovata</i> Forsh	
—availability to wheat	2 : 233-236	—breeding	3 : 255-264
—fixed crop rotation	5 : 41-48	—genetics of	3 : 255-264
—in soils	5 : 110-113	Plant nutrition	
—pigeonpea	3 : 98-104	—cobalt in	1 : 111-121
—response in legumes	4 : 228-232	Planting dates	
Phosphorus supplying characteristics		—of potato	4 : 63-72
—of soil	2 : 325-330	Plant population	
		—effect of	4 : 245-250



Plant nutrients		Protein estimation	
— of cowpea	5 : 209-214	— in legume grains	5 : 231-234
P ants		Proximate	
— used as veterinary medicines	2 : 307-310	— of poppy	3 : 1-8
Plasmocytosis <i>see</i> mink		<i>Psidium Guajava</i> L	
Populations		— <i>see</i> guava	
— of barley crosses	4 : 351-358	Public health aspects	
Pore-size distribution		— of toxoplasmosis	1 : 159-165
— in alluvial soils	3 : 66-75	Pullets	
Potassium		— restricted feeding in	5 : 68-76
— in fixed crop rotation	5 : 41-48	<i>Pyroderces simplex</i>	
Potassium supplying power		— infesting cotton	1 : 259
— of soils	2 : 137-142	Quality characters	
Potato		— of black gram	2 : 167-177
— Dithane M. 45 (Mancozeb)	2 : 237-243	Quaternary ions	
— dry matter content	5 : 227-230	— on clays	1 : 15 -158
— nitrogen levels	4 : 63-72	Quinalphos	
— planting dates	4 : 63-72	— persistence pattern	4 : 365-370
— specific gravity	5 : 227-230	— safety evaluation for	4 : 365-370
— tuberization	4 : 63-72	Rabbit	
Production potential		— enteric colibacillosis in	4 : 179-184
— of lentil	3 : 75-81	Radish	
— of <i>mung</i>	4 : 175-178	— Aldicarb residues	2 : 205-210
— of wheat	3 : 75-81	Rainfall variability	
Progeny Testing Programme		— on crop maturity	1 : 317-324
— of buffaloes	1 : 253-258	Rainfall analysis	
Prolamin synthesis		— for crop planning	5 : 182-189
— in high lysine plants	2 : 103-115	Rainfed conditions	
		— efficiency of <i>kharif</i> crops	1 : 51-58
		— seed yield in	1 : 51-58

Raising cattle		<i>Rhizobium</i> inoculation	
- cost structure of	4 : 290-296	- in chickpea	2 : 159-165
Reclamation		<i>Rhizobium</i> inoculation	
- of alkali soils	3 : 82-90	- in groundnut	5 : 199-202
Red sandy loam soil		Rice	
- cultural operations	4 : 108-115	- availability of phosphorus	2 : 129-135
- physical properties	4 : 108-115	- inheritance of nodel rooting in	2 : 311-313
- water retention	4 : 108-115	- nodel differentiation in	3 : 146-150
Regeneration studies		Sulphur uptake	5 : 93-101
- in <i>Balanites Roxburghii</i> PL	4 : 346-350	Root knot disease	2 : 299-305
Removal		Root nodulation	
- of soil fertility constraints	1 : 1-6	- in groundnut	4 : 199-202
Removal of surface soil		Row spacing	
- cassava	5 : 77-92	- chickpea	4 : 245-250
- maize	5 : 77-92	Rumen metabolism	5 : 131-149
Reproduction		Russell, Edward	1 : 1
- of <i>Bathua</i>	5 : 156-165	Rye-grass	
Reproduction		- nitrogen transformation in	1 : 25-32
- in buffaloes	1 : 253-258	Sahiwal x Freisian crosses	
Research		- calving interval	5 : 240-246
- on insecticide synergists	1 : 7-17	- lactation length	5 : 240-246
Response		Salinity	
- of cassava	5 : 77-92	- pigeonpea	3 : 98-104
- of maize	5 : 77-92	- in tropical agriculture	1 : 95-109
Respiration		Salt affected arid soil	
- as influenced by urea herbicides	4 : 137-142	- pedogenic oxides in	3 : 202-205
Restricted feeding		Salt affected field	
- in pullets	5 : 68-75	- testing of Burnsmodel	4 : 212-220
Retention		Salt resistance	
- in cotton	4 : 77-84	- breeding for	3 : 236-254

S-Methyl isomer		Soil characteristics	
— of malathion	1 : 325-329	—in alkali fields	3 : 82-90
Seed cotton		—of forest soils	4 : 116-125
—yield	4 : 77-84	Soil crusting	
Seedling		— effect on sorghum emergence	4 : 15-22
— in sugarcane	4 : 88-90	Soil drying	4 : 130-135
Seed yield		Soil fertility constraints	
—in rainfed conditions	1 : 51-58	— removal of	1 : 1-6
Selection efficiencies		Soil	
—of part period production	2 : 265-270	—landscape relationship	3 : 167-179
Senna		Soil minerology	1 : 285-298
—agronomic parameters in	1 : 139-144	Soil moisture dynamics	
—chemical methods of assay of sennosi-		—macroscopic scale models	4 : 300-309
des in	1 : 231-238	Soil moisture estimation	
Sennosides		— macroscopic scale models for	
—in senna	1 : 231-238		2 : 300-309
Settling		Soil moisture stress	
—in sugarcane	4 : 88-89	—in wheat	1 : 21-220
Shattering		Soil nutrition	
—in <i>guar</i>	4 : 185-187	— cobalt in	1 : 111-121
Sheep		Soil properties	
— cotyledons in	1 : 167-169	— spatial variation of	1 : 131-138
—placenta in	1 : 167-169	Soil respiration	
Simulated field soil respiration		— on soybean crop	1 : 33-40
— influence on soybean	1 : 33-40	Soil salinity	
Size fractionation		— in tropical agriculture	1 : 95-109
— of organic matter	1 : 123-130	Soil spatial variability	2 : 1-102
Smectite formation		Soils	
— in Catena of soils	3 : 273-278	— aldicarb residues	2 : 205-210
Soil amended with compost	4 : 137-142	— chemical characterization	4 : 1-14
		— potassium supplying power of	2 : 127-142



Soil structure		—physical properties	1 : 131-138
—improvement of	4 : 97-107	—soil properties	1 : 131-138
Soil temperature		Specific gravity	
—effect of mulches	4 : 23-29	—of potash	5 : 227-230
Soil versus foliar nutrition		Spotted bollworms	
—of <i>ber</i> trees	3 : 192-195	—in cotton	5 : 1-27
Soil-zinc		Sprouting of sugarcane ratoons	
—for maize	2 : 288-292	—effect of mulches	4 : 23-29
Solar radiation	5 : 122-126	Stand establishment	
Sorghum		—in wheat	5 : 118-121
—engineering properties of	3 : 105-113	Starch hydrolysis enzyme	
—Fertilizer requirements of	3 : 43-48	—in wheat	1 : 145-150
—Forage production in	2 : 245-250	Starch synthase activity	
—Grain yield	5 : 102-108 3 : 43-48	—in wheat	1 : 279-284
—Response to soil	3 : 279-287	Sternochetus mangiferae (Fabricius) <i>see</i>	
—soil crusting effect	4 : 15-22	Mango weevil	
—straw yield	5 : 102-109	Sugarcane breeding programmes	
<i>Solanum Tuberosum</i> L		—Amelioration of	5 : 175-181
— <i>see</i> potato		—Correlation in	3 : 151-157
<i>Sorghum bicolor</i> L		—lime induced chlorosis	5 : 175-181
— <i>see</i> sorghum			4 : 88-90
Sources of income		—pathanalysis in	3 : 151-157
—of farm families	5 : 62-67	—pressmud	5 : 175-181
Sowing dates		—use of pyrite	5 : 175-181
—of <i>mung</i>	4 : 175-178	Sugarcane ratoons	
Sown conditions	4 : 245-250	—sprouting of	4 : 23-29
Soybean		Sulphur	
—carbon fertilization	1 : 33-40	—in sugarcane	5 : 175-181
—Nutritive value of	5 : 247-279	Sulphur in rumen	
Spatial variation		—metabolism	5 : 131-149
—chemical properties	1 : 131-138		

Sulphate		—irrigation levels of	4 : 238-244
—adsorption of	2 : 142-150	—leaf yield of	4 : 238-244
—desorption of	2 : 142-150	—nitrogen levels of	4 : 238-244
Sulphur uptake		Toxicity	
—of green gram	2 : 331-335	—in calves	3 : 132-138
—of rice	5 : 93-101	—of isoproturn livestock	1 : 339-344
Sunflower		Toxoplasmosis	
—growth	4 : 40-45	—public health aspects of	1 : 159-165
—line x tester analysis	4 : 154-159	Tractor operated farms	
—nitrogen levels	4 : 40-45	—cost of cultivation	1 : 261-271
—intercropping with legumes	4 : 55-62	Translocation of insecticides	
—row spacing	4 : 40-45	—in onion	2 : 183-187
—seed yield	4 : 154-159	<i>Trifolium Alexandrinum</i>	
—yield	4 : 40-54, 4 : 55-62	<i>see Berseem</i>	
Surface soil removal		Triple test cross analysis	
—for crop yield	5 : 77-92	—of barley	4 : 351-359
Symbiotic association		<i>Triticum Aestivum</i> L	
—in mungbean	2 : 221-221	<i>see wheat</i>	
Synthetic pyrethroides		Tropical agriculture	
—in cotton	4 : 168-174	—Alkalinity in	1 : 95-109
Teat conformation traits		—soil salinity in	1 : 95-109
—in crossbred dairy cattle	4 : 283-288	Trypanosomiasis	
Testing		—in dogs	3 : 313-317
—Burns model	4 : 212-220	Tuberization	
—of leaching models	1 : 193-202	—of potato	4 : 63-72
<i>Theilerra Annulata</i> infection		Udder conformation traits	
—in buffalo	1 : 91-92	—in crossbred dairy cattle	4 : 283-288
Therapeutic trials		Uniformity trial	
—in experimental trypanosomiasis		—in pearl millet	1 : 41-48
in dogs	3 : 313-317	Urea herbicides	4 : 137-142
Tobacco			
—chemical characteristics of	4 : 238-244		

Use of immune blotting techniques		—fruit yield	5 : 166-174
—in milk	4 : 91-96	—irrigation	5 : 166-174
Use of press-mud		— mineral uptake	5 : 166-174
—in sugarcane	5 : 175-181	—water use efficiency of	5 : 166-174
Use of pyrite		Water requirement	
—in sugarcane	5 : 175-181	—for crops	5 : 127-130
Vermiculite		Water retention characters	
—exchange behaviour of	1 : 299-307	—of red sandy loam soil	4 : 108-115
Vertisols		Water retention characteristics	
—sugarcane in	5 : 175-181	—of vertisols	4 : 335-340
—water retention characteristics of	4 : 335-340	Water yam	
Vetrinary medicines		—drought stress on	3 : 35-42
—plants used for	2 : 307-310	Water use efficiency	
<i>Vigna radiata</i> (L.)		—of water melon	5 : 166-174
see Mungbean		Weeds	
<i>Vigna unquiculata</i> (L) walp		—allelopathic influence of	4 : 276-279
see cowpea		Wheat	
Viral diseases		—availability	1 : 211-220
—of pigs	2 : 345-354	—boron uptake	4 : 126-129
Virginia tobacco		—crop yield	2 : 233-236
see tobacco		—grain quality	1 : 211-229
<i>V. mungo</i> (L) Hepper		—nutrient uptake	1 : 211-220
—see black gram		—performance of	4 : 251-257
Water buffalo		—phosphorus availability	2 : 233-236
—see buffalo		—soil moisture stress	1 : 211-220
Water management practices		—starch hydrolysis enzyme	1 : 145-150
—phorate leaching	1 : 81-90	— starch synthetase activity	1 : 279-284
Water melon		—weeds	4 : 276-279
—Dry matter production	5 : 166-174	—yield	1 : 211-220
			3 : 9-21
		Wheat-maize rotation	3 : 91-97



**Weather-yield relationship**

—of finger millet 4 : 146-153

**White pekin ducks**

—phenotypic correlations 1 : 171-174

**Yield**

—berseem 1 : 73-80

—black gram 2 : 167-177

—darana 1 : 187-192

—green gram 2 : 331-337

—*kabuli* gram 1 : 221-230

—sunflower 4 : 41-45

4 : 55-62

—wheat 1 : 211-220

3 : 1-8

**Yield-weather relationship**

—of finger-millet 4 : 146-153

***Zea Mays*-see maize****Zinc adsorption of soil**

—exchangeable cations 2 : 315-324

Zinc diffusion in soils 3 : 22-27

**Zinc interaction**

—in plants 1 : 309-316

—in soils 1 : 309-316

**Zinc sources**

—efficiency in *Berseem* 1 : 73-80

**Zineb**

—as nitrification inhibitor 5 : 190-198

## INSTRUCTIONS TO AUTHORS

The journal accepts manuscripts describing original work, not published elsewhere. All manuscripts will be pre-reviewed for quality and acceptability before publication. It will be presumed that the authors have obtained the official approval, wherever necessary, and the papers are understood to be offered to the IJTA exclusively. The responsibility for the statements, whether of fact or opinion, would rest entirely with the authors thereof.

The manuscript, typed in double space on one side of a good quality bond paper (30 cm  $\times$  20 cm) with at least 4 cm margin and thoroughly revised, should be sent in *triplicate* (the original and two copies) to the Editor-in-Chief.

The sub-division of the articles into Title, Abstract, Introduction, Material and Methods, Results, Discussion, Acknowledgements and References is recommended. The results and discussion often may be considered profitably into a single section. In addition, a short title should be provided on the title page.

The tables should be typed with double spacing on separate pages and should be provided with headings. The figures should be drawn in Indian ink and the photographs should be of good quality. The legends for figures should be typed on a separate page.

The references should include the author's name (surname precedes initials), year of publication, title of the article, title of the publication (abbreviated in accordance with the latest edition of the World List of Scientific Periodicals), volume number and the first and the last page numbers. The references to books, in addition, should include the editor's name, the edition number, where appropriate, and the publisher's name and place.

- Important Notes :**
1. We have planned in such a way that the publication of an article should not be delayed beyond six months. Therefore, to ensure an immediate review of the manuscript by a specialist in the field, the author is advised to submit the names and addresses of any three scientists concerned with his work along with the manuscript.
  2. The membership of the journal is not obligatory for the submission of an article or a paper. However, the authors are required to purchase at least 100 reprints of their articles at the nominal price which can be had from the publishers.
  3. For invited articles, the author is entitled to get 50 reprints of his article free of charge.
  4. Papers for publication, business correspondence, advertisement, books for reviews and all other communications and enquiries should be sent to the Editor-in-Chief on the following address :

Dr. R. D. Laura, Editor-in-Chief,  
International Journal of Tropical Agriculture,  
8/16, New Campus, Haryana Agricultural University,  
Hisar-125 004, Haryana, India.



## BIBLIOGRAPHIC INFORMATION

1. Regn. No. 42240/83 (with the Registrar of Newspapers for India)
2. ISSN : 0254-8755      3. Language : English
4. Inaugural issue : March 1983, Volume I, Number 1
5. Current volume : VIII, 1990
6. Frequency : Quarterly; four issues published in March, June, September and December every year comprise one volume.

## SUBSCRIPTION INFORMATION FOR VOLUME VIII, 1990

	Indian*	Foreign	Postage		Trade discount to agencies
			Airmail	Surface	
Individual rate	Rs. 150/-	U.S. \$ 30	\$ 12	\$ 6	10, 15, 20, and
Institutional rate	Rs. 300/-	U.S. \$ 60	\$ 12	\$ 6	25% upto 10,
Commercial rate	Rs. 900/-	U.S. \$ 60	\$ 12	\$ 6	20,50 and more
*There are no postal charges within India. However, for a registered delivery Rs. 25/- per volume will be charged for a single address, irrespective of the number of copies.					than 50 copies, respectively.

## TERMS AND CONDITIONS

1. Individual rate is available to scientists only and the journal is to be mailed to their personal address.
2. Institutional rate is available to institutions and subscription agencies subscribing on behalf of institutions and the journal is to be mailed to the institutional address only.
3. Commercial rate is available to subscription agencies in India for direct purchase without giving the address of the institution, in India or abroad, for which they are subscribing. The journal is mailed to the agency address.
4. Subscriptions are entered on an annual basis, i. e. January to December. US dollar price applies to subscribers in all countries excluding India, Bangladesh, Nepal and Bhutan.
5. Claim for the missing issue will be entertained upto 6 months from Indian subscribers and upto 12 months from foreign subscribers after the date of its listing in the Current Contents.
6. The discount is only on the price of the journal. There is no discount on postal charges.
7. The price of the journal, postal charges and the rate of discount all are liable to be changed by the publisher without any prior notice.
8. All the *Back Volumes* (from I (1983) to VII (1989) ) are available and can be purchased in any number from the publisher at the current price quoted above for Volume VIII, 1990. However, a *special discount of 20%* will be given if all the seven volumes are ordered along with the current subscription for 1990.
9. All payments should be on bill basis and made in cash/money order/bank draft/cheque payable at Hisar to :

Vidya International Publishers, 8/16, New Campus,  
Haryana Agricultural University, Hisar-125 004  
Haryana, India

**Note:—**For a bank draft/cheque other than at Hisar, rupees ten per draft/cheque should be added towards bank collection charges.